



FIRE RESISTANT TIMBER GLAZED SCREENS

Certificate number: IFCC1648

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

**Hugh Stirling Ltd
1 Ashley Drive, Bothwell
Glasgow G71 8BS
Scotland**

Tel: +44 7572557486

Who fabricate timber fire resisting elements with the following glasses:

AGC

have satisfied the requirements of scheme SDP 09. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications and fields of application to achieve from **30 mins to 60 mins integrity** are detailed in the documents referenced on page 2 of this certificate.



Initial certification: 30 April 2021

Valid to: 29 April 2026

Issue status: 1

A handwritten signature in black ink, appearing to read 'I. Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England



Certificate number: IFCC 1648

The production of fire resistant glazed screens are manufactured in accordance with documents referenced within the following table:

Glazed Screen Description	Fire Rating (mins)	Assessment/ Test Report
AGC Pyrobelite AGC Pyrobel	30 & 60	CF377

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above documents are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.