



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1675

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Berkvens B.V.

Kanaaldijk Noord 24
Postbus 2
5710 AA Someren
Netherlands
Telephone no. +31 (0)493 49 91 11

Who fabricate the following timber fire doors and or doorsets:

Berkvens FD30

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **EN1634-1** and testing of samples of products taken from production. The product specification and field of application to achieve up to **30 minutes integrity** are detailed on page 2 of this certificate.



First Issued: 15 December 2021
Valid to: 14 December 2026
Issue No: 1



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

Page 1 of 2

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1675

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Berkvens	FD30	PAR/22205-1

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.