



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1676

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

JH Industries

30, rue Pauline de LEZARDIERE

Challans

France 86300

Telephone no. +33(0)251495300

Who fabricate the following timber fire doors and or doorsets:

Own Design EI30, EI60

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **EN1634-1** and testing of samples of products taken from production. The product specification and field of application to achieve **from 30 to 60 minutes integrity and insulation** are detailed on page 2 of this certificate.

Production sites:- JJ1, JJ2



First Issued: 30 November 2021

Valid to: 29 November 2026

Issue No: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

Page 1 of 2

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004

Certificate number: IFCC 1676

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Euroflam	EI30	RS13-069A, RS13-069B
Euroflam	EI60	13-A-683, 13-A-871
Club 30, 36, 39	EI30	RS14-009, RS14-010 RS14-011
Chorus 39, 42	EI30	RS14-031, RS14-032
Chorus 46	EI30	RS14-089
Chorus 49	EI30	RS14-090
Swinging	EI30	RS05-173, RS05-174
Swinging	EI60	06-A-331

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.