



# INTUMESCENT DOOR SEALS & HARDWARE PROTECTION KITS

**Certificate number: IFCC 1745**

This is a product certificate to certify that

**Astroflame Fireseals Ltd.**

Unit 8, I.O Centre, Stephenson Road,  
Segenworth, Fareham, Hampshire,  
PO15 5RU

Tel: 01329 844500

Who manufacture the following intumescent seals & hardware protection kits:

**FlexiFire**

have satisfied the requirements of the SDP20 Intumescent Seal & Hardware Protection Kits scheme. This includes the testing of products to **EN 1634-1**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve 30 minutes to 60 minutes integrity are detailed in the reports referenced below.

Test reports: WF345074/A Iss2 & WF429674

Manufacturing location: A-ZG



First Issued: 26 July 2022  
Valid to: 25 July 2027  
Issue No: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse  
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.