



FIRE RESISTANT TIMBER FIRE DOORS SDP01

Certificate number: IFCC1032

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

X Z United Wood Factory Ltd

(Previously Bros XZ Jordanou)

20, Iakovou Katsounotou
C Industrial Area ipsonas
Limassol 4180
Cyprus
Tel no. +357 25 711180

Who fabricate the following timber fire doors and or doorsets:

Halspan FD30

Halspan FD60

Strebord FD30

Halspan FD90

Halspan FD120

Strebord FD60

have satisfied the requirements of the above scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, SS01, SS02



First Issued: 1 July 2013
Reissued: 03 August 2021
Valid to: 30 June 2022
Issue No: 9



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.