



# FIRE RESISTANT HINGED STEEL DOORSETS

**Certificate number: IFCC 1136**

**Certificate only valid if verified on website -**

**[www.ifccertification.com](http://www.ifccertification.com)**

This is a product certificate to certify that

***Fitzpatrick s.a.l.***

Ain Saadeh (Industrial City), Meker Building

Matn District - Lebanon

P.O.Box: 90-1101 Jdeidet El Matn

Zip Code 2753 1217

Tel no.: +961 1 901888

Who fabricate the following metal fire doors and or doorsets:

## ***Fitzpatrick Hinged FD 120 & FD240 Steel Doorsets***

Satisfy the requirements of the IFCC SDP 02 scheme. This includes the testing of products to **BS476-22: 1987**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **120 minutes to 240 minutes integrity** are detailed in the schedule referenced below.

Schedule ref: WF395079 (excluding sliding doors)



First Issued: 17 March 2015

Reissued 29 April 2020

Valid to: 16 March 2025

Issue No: 3

Ian Woodhouse

Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.