



## FIRE RESISTANT TIMBER DOORS

**Certificate Number: IFCC 1143**

Certificate only valid if verified on website - [www.ifccertification.com](http://www.ifccertification.com)

This certificate certifies that the product below  
manufactured by

**QD-CPC Wood & Interior Finishing Factory**  
**Member of QD-CPC Industries W.L.L.**

PO Box 19450, Doha  
Qatar

Tel no: +974 4430 9500

“Who fabricate the following timber fire doors and or doorsets”

**Halspan FD30      Halspan FD60      Halspan FD90      Halspan FD120**  
**FireBan FD30      FireBan FD60      FireBan FD90      FireBan FD120**  
**Own Design FD60**

Satisfy the requirements of the IFCC SDP01 scheme. This includes the testing of products to **BS476-22: 1987**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule Ref: HS01, HS02, HS03, HS04, HS05, HS06, GTLS03, GTLS04 & IFCC1143-S01



First Issued: 10 April 2015  
Re-issued: 02 June 2020  
Revised: 25 February 2022  
Valid to: 9 April 2025  
Issue No: 4



175

Ian Woodhouse  
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.