



# FIRE RESISTANT TIMBER FIRE DOORS SDP01

**Certificate number: IFCC1248**

This is a product certificate to certify that

## **Golden Door S.A**

Nea Zoi Aspropyrgos  
Aspropyrgos  
Greece 19300  
Tel: + 30 2105596690

Who fabricate the following fire doors:

**Halspan/Strebord FD30  
Un-Glazed Doorset Incorporating  
Own Design Steel Frame &  
Concealed Hinges**

**Halspan/Strebord FD60 Un-Glazed  
Doorset Incorporating Own Design  
Steel Frame &  
Concealed Hinges**

have satisfied the requirements of the above scheme. This includes the testing of products to **EN1634-01**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification to achieve EI30 & EI60 minutes integrity and insulation are detailed in the schedules referenced below.

Schedule ref: IFCC1248/GD01, IFCC1248/GD02



First Issued: 05 July 2016  
Reissued 01 October 2021  
Valid to: 04 July 2022  
Issue No: 4



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse  
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.