



FIRE RESISTANT TIMBER FIRE DOORS SDP02

Certificate number: IFCC1250

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Golden Door S.A

Nea Zoi Aspropyrgos
Aspropyrgos
Greece 19300
Tel: + 30 2105596690

Who fabricate the following metal fire doorsets:

EI120 Own Design Steel Un-Glazed Doorset with Wooden Facing and Concealed Hinges

have satisfied the requirements of the above scheme. This includes the testing of products to **EN1634-01**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification to achieve EI120 minutes integrity and insulation are detailed in the schedule referenced below.

Schedule ref: IFCC 1250/GD01



First Issued: 05 July 2016
Reissued: 26 September 2022
Valid to: 04 July 2023
Issue No: 5

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.