



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1317

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Kataskevi Portas A Porta Ltd

NEA Monastiriou 59 Eleftherio
Thessaloniki
56334
Greece
Tel: 0030-2310-757410

Who fabricate the following timber fire doors and or doorsets:

Halspan FD30 Halspan FD60 Halspan FD90 Halspan FD120
Strebord FD30 Strebord FD60 Sauerland FD30 Sauerland FD60
Moralt FD30 Moralt FD60 Moralt FD90

have satisfied the requirements of the SDP01 Timber Fire Doors scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01 - HS06 & SS01 – SS02, PAR13211/01, PAR13211/02, PAR13211/03, PAR/12033/01, WF409922, WF409923, CNAF14274



First Issued: 21 August 2017
Reissued: 27 September 2021
Valid to: 20 August 2022
Issue No: 5

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.



Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.