



## **FIRE RESISTANT METAL BASED DOOR SCHEME**

***Certificate number: IFCC 1405***

This is a product certificate to certify that

***Kete S.A.  
Industrial Area of Polykastro,  
Kilkis 61200  
Greece***

Tel: 00302343020280

Who fabricate the following steel fire doorsets:

**Single Leaf Fire Resistant Steel Door ESTIA EI<sub>2</sub>30**  
**Single Leaf Fire Resistant Steel Door EI60 & EI120**  
**Single Leaf Glazed Fire Resistant Steel Door EI90**  
**Single Leaf Fire Resistant Steel Door EI120**  
**Double Leaf Fire Resistant Steel Door EI60 & EI120**

have satisfied the requirements of the SDP02 Fire resistant metal based door scheme. This includes the testing of products to **BS EN 1634-1 & BS EN 1363-1** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** refs: IFCC1405/SO1



Initial certification: 22 August 2018

Revised: 27 February 2020

Valid to: 21 August 2023

Issue status: Issue 2

Ian Woodhouse  
Director of Certification



175

IFC Certification Ltd

20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH

Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)

Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.