



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1609

Certificate only valid if verified on website www.ifccertification.com

This is a product certificate to certify that

Jeld-Wen Danmark A/S

Danmarksvej 9
Sdr. Felding
Denmark 9670

Tel: +45 96662102

Who fabricate the following timber fire doors and or doorsets

Own Design FD30, FD30S & FD60, FD60S

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22 & Part 31**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes** integrity are detailed on page 2 of this certificate.



First Issued: 16 November 2020

Valid to: 15 November 2025

Issue No: 1



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England
Page 1 of 2

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1609

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
E2	FD30, FD30S	PAR/17130/02
E4	FD30, FD30S	PAR/10120/01
ET2	FD30, FD30S	PAR/12327/01
ET6	FD30, FD30S	PAR/12327/02
ET8	FD30, FD30S	PAR/12327/03
ET9	FD60, FD60S	PAR/12327/04
E6	FD30, FD30S	IFCA/08142
E8	FD60, FD60S	IFCA/05178
E9	FD60, FD60S	IFCA/08156
ET2, ET6, ET8, ET9	FD30, FD30S/FD60, FD60S	PAR/12327/05

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.