



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1618

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that
Icm Uluslararası İnş. Dan. Paz. San. ve Dış Tic. A.Ş.
Goztepe Mahallesi Guzel Sokak Heper
Apt No:2/5 Selamicesme
Kadikoy/Istanbul
34730 Turkey

Tel. +216 3861157

Who fabricate the following timber fire doors and or doorsets:

Halspan FD30 Halspan FD60 Halspan FD90 Halspan FD120
Moralt FD30 Moralt FD60 Moralt FD90 Sauerland FD30
Sauerland FD60

have satisfied the requirements of the SDP01 Timber Fire Doors scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule refs: HS01 - HS06, PAR/12519/01, PAR/12519/02, PAR/12519/03, WF409923, PAR/13211/01, PAR/13211/02, PAR/13211/03, PAR/13088/01 & PAR12033/01



First Issued: 13th January 2021

Revised: 15th February 2022

Valid to: 12th January 2026

Issue No:2

Ian Woodhouse

Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.