



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1625

Certificate only valid if verified on website www.ifccertification.com

This is a product certificate to certify that

Hugh Stirling Ltd

1 Ashley Drive, Bothwell
Glasgow G71 8BS
Scotland
Tel: +447572557486

Who fabricate the following timber fire doors and or doorsets

Halspan FD30,FD30S, FD60, FD60S & CMS FD60, FD60S

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes** integrity are detailed on page 2 of this certificate.



First Issued: 12 January 2021
Valid to: 11 January 2026
Issue No: 1



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England
Page 1 of 2

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1625

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Halspan 30 Prima Inc Prima Plus	FD30	FEA/F97174
Halspan 60 Prima Inc Prima Plus	FD60	FEA/F96103
Halspan 30 Prima Panelled	FD30	FEA/F97097
Halspan 60 Prima Panelled	FD60	CHILT/A01015
Halspan Optima 30	FD30	CHILT/A01204
Halspan Optima 60	FD60	FEA/F01205
Halspan XT/IT	FD30	CHILT A13242
Halspan XT/IT	FD60	CHILT A13227
CMS Doorsets	FD60	WF403853

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.