



# FIRE RESISTANT TIMBER FIRE DOORS

**Certificate number: IFCC1688**

*Certificate only valid if verified on website [www.ifccertification.com](http://www.ifccertification.com)*

This is a product certificate to certify that

***ISIN PRES YAPI VE MOBILYA MALZEMELERİ  
A.Ş.***

A.Ş. -Mersin Tarsus Organize Sanayi Bölgesi

Cd. 12 Sk:103 No:9 Mersin

Post Code: 33100

Tel. (+90) 324 323 0101

Who fabricate the following timber fire doors and or doorsets:

**Own Design EI30, EI60, EI90  
Halspan EI30, Halspan EI60**

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **EN1634-1** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 90 minutes integrity & insulation** are detailed in the reports referenced below.

Report refs: 549723, 20292, (Type 2 only) 17012, BMT/CNA/F13020, BMT/FEA/F13021



First Issued: 07 December 2021

Valid to: 06 December 2026

Issue No: 1

Ian Woodhouse

Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.