



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1507

This is a product certificate to certify that

***Yildizpan Orman Urunleri SAN. VE TIC. LTD. STI.
Balcik Mahallesi 3254
Sokak No. 34, Gebze/Kocaeli 41400
Turkey***

Tel: +90 262 643 12 22

Who fabricate the following fire doors:

**Halspan Halspan
EI30 EI60**

have satisfied the requirements of the SDP01 Timber Fire Doors scheme. This includes the testing of products to **EN1634-1**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity and insulation** are detailed in the schedules referenced below.

Schedule ref: BMT/CAN/F13020 & BMT/FEA/F13021



First Issued: 23 July 2019

Valid to: 22 July 2024

Issue No: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse

Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.