



# FIRE RESISTANT TIMBER FIRE DOORS

**Certificate number: IFCC 1576**

*Certificate only valid if verified on website - [www.ifccertification.com](http://www.ifccertification.com)*

This is a product certificate to certify that

## **Golden Door S.A**

Nea Zoi Aspropyrgos  
Aspropyrgos  
Greece 19300  
Tel: + 30 2105596690

Who fabricate the following fire doors and doorsets:

**EI 45 LIGHTS SERIES, WOODEN DOOR LEAF  
(WITH METALLIC FRAME)**

**&**

**EI 60 LIGHTS SERIES, WOODEN DOOR LEAF  
(WITH METALLIC FRAME)**

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **EN1634-1** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity & insulation** are detailed in the test report referenced below.

Test report: No. 370170

First Issued: 04 August 2020

Reissued: 01 October 2021

Valid to: 03 August 2022

Issue No: 2



**Ian Woodhouse**  
Director of Certification



**175**

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.