



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1561

Certificate only valid if verified on website -

www.ifccertification.com

This is a product certificate to certify that

K&M Kounoupis Ltd

64 Griva Digeni 2560
Aya Varvara
Nicosia
Cyprus - 2560

Tel: +357 22524523 Fax: +357 22526066

E-mail: kounoupis@netmail.com.cy

Who fabricate the following timber fire doors and or doorsets:

**Halspan FD30, Halspan FD60, Halspan FD90
Halspan FD120, Strebord FD30, Strebord FD60**

have satisfied the requirements of the above scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, SS01, SS02



Initial certification: 31 March 2020

Reissued: 29 March 2022

Valid to: 30 March 2023

Issue status: 3

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.