

# IFC *certification*



## FIRE RESISTANT TIMBER FIRE DOORS

***Certificate number: FRTD483***

*Certificate only valid if verified on website - [www.ifccertification.com](http://www.ifccertification.com)*

This is a product certificate to certify that

***Gulf Trade Link FZCO***

Jebel Ali Free Zone Area  
PO Box 263127  
Dubai, UAE

Who manufacture door blanks used for the fabrication of the following fire doors & doorsets:

**FireBAN Board 44mm thick FD30**  
**FireBAN Board 54mm thick FD60**  
**FireBAN Board 64mm thick FD90**  
**FireBAN Board 64mm thick FD120**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **FD30, FD60, FD90 and FD120** performance classifications are detailed in the schedule referenced below.

Factory reference B-O



Schedule ref: GTL/S03, GTL/S04  
First Issued: 12 October 2010  
Revised: 07 January 2015  
Reissued 29 September 2021  
Valid to: 11 October 2026  
Issue No: 10



175

Ian Woodhouse  
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.