



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1342

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Moralt AG

Moralt AG
Obere Tiefenbachstraße 1
D-83734 Hausham
Germany

Tel: 0049 8026 92538-0
Fax: 0049 8026 92538-40

Who manufacture door blanks used for the fabrication of the following fire doors & doorsets:

FireSmoke FD30 and FD60 FireSound FD30 and FD60 FERRO FireSafe FD30 and FD60

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 05 February 2018
Revised: 04 April 2022
Valid to: 04 February 2023
Issue status: 4

Ian Woodhouse
Director of Certification
Page 1 of 2



175

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1342

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Description	Fire Rating	Assessment/ Test Report
LAMINESSE FireSmoke & FireSafe	FD30	PAR/12519/01
LAMINESSE FireSmoke & FireSafe	FD60	PAR/12519/02
LAMINESSE FireSound 44	FD30	PAR/14459/01
FireSound 54, FireSound Plus 54 & FireSound 59	FD30 & FD60	PAR/21569/01
OutDoor FERRO FireSafe KlimaSoft/Akustic/Passiv	FD30	PAR/13145/01
OutDoor FERRO FireSafe Passiv	FD60	PAR/18099/01

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.