



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1154

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that
A.Chronis-G.Doumanis Limited
(trading as Porta Impresa)

19th Kilometer, Thessaloniki-Serres
572 00, Thessaloniki
Greece
Tel: + 30 2394 073483

Who fabricate the following fire doors & doorsets:

**Porta Impresa Aluminium Faced EI₂45
EPICO EI30 & INGEGNO EI60 wooden leaves in
aluminium frames**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **EN 1634-01**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve up to **60 minutes integrity & insulation** are detailed in the schedules referenced below.



Schedule ref: IFCC 1154-AC01, AC02, AC03

First Issued: 16 July 2015
Reissued: 28 July 2022
Valid to: 15 July 2023
Issue No: 8



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.