



FIRE RESISTANT METAL BASED DOOR SCHEME

Certificate number: IFCC 1328

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Target Industrial Services LLC

**P.O Box 574 Ruwi
Muscat 112,
Oman**

Tel +968 24505970

Who fabricate the following metal fire doorsets:

**FD60, FD90, FD120 Glazed & Unglazed Double Leaf Metal
Based Doorset**

have satisfied the requirements of the SDP02 Fire resistant metal based door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule refs: IFCC1328/SO1



Initial certification: 30 October 2017

Revised: 24 June 2020

Valid to: 29 October 2022

Issue status: 3

A handwritten signature in black ink, which appears to read 'Ian Woodhouse', is written over a light-colored background.

**Ian Woodhouse
Director of Certification**



175

IFC Certification Ltd

20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH

Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com

Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.