



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1586

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

HUK intel. Co

Al Kharj Rode – Heet
Riyadh
Saudi Arabia

Tel no.: 00966505148080

Who fabricate the following timber fire doors and or doorsets:

- 20 - 30 Mins Fire Rated Wooden Door with Metal Frame**
- 60 Mins Fire Rated Wooden Door with Metal Frame (Double Swing)**
- 90 Mins Fire Rated Wooden Door with Wooden Frame**
- 90 Mins Fire Rated Wooden Door with Metal Frame**
- 120 Min Fire Rated Wooden Door with Metal Frame**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **UL10C**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve **up to 120 minutes integrity (FD120)** are detailed in the schedules referenced below.

Schedule ref: IFCC1586/S01- S05



First Issued: 02 November 2020

Valid to: 01 November 2025

Issue No: 1

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.