



## **FIRE RESISTANT TIMBER FIRE DOORS**

***Certificate number: IFCC1621***

*Certificate only valid if verified on website - [www.ifccertification.com](http://www.ifccertification.com)*

This is a product certificate to certify that

***Arak Industrial LLC***

Industrial Area No.06  
Sharjah City  
UAE 28844

Telephone no. +971 55 718 4000

Who fabricate the following timber fire doors and or doorsets:

**Axis FD30, FD60, FD90 & FD120**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **30 to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: AX01, AX02, AX03, AX04

First Issued: 4<sup>th</sup> January 2020

Revised 27<sup>th</sup> Jan 2021

Valid to: 3<sup>rd</sup> January 2025

Issue No: 2



175

A handwritten signature in black ink, which appears to read 'Ian Woodhouse', is written over a light blue horizontal line.

**Ian Woodhouse**  
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.