

FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1630

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Aspex UK Ltd

Aspex UK Ltd.,
The Whittle Estate
Whetstone
Leicester LE8 6LH
Tel: 0116 278 3506

Who fabricate the following timber fire doors and or doorsets:

Aspex EI30
Norma Doors EI30, EI60
AGS Systems EI30

have satisfied the requirements of the SDP01 Fire resistant Timber Door scheme. This includes the testing of products to **EN1634-1**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.

Fire doors manufactured at factory references: R-C



Initial certification: 26 January 2021
Revised: 07 September 2021
Valid to: 25 January 2026
Issue status: 1



Ian Woodhouse
Director of Certification



175

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004



Certificate number: IFCC 1630

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Aspex	EI30	WF428924 (Doorset B only)
Aspex	EI30	WF406367
Aspex	EI30	WF419697 (Doorset A only)
AGS Systems (TUS)	EI30	BMT/FEP/F13292
AGS Systems (TUT)	EI30	BMT/FEP/F15220
Norma Doors	EI30	249753.01
Norma Doors	EI60	251283

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above test & assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.